



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

New Holland, and the description of which shows that it could not have been *Zenaida zenaida*.

In other words, Latham's later reference to additional material has no bearing upon the type of his original *Columba meridionalis*, which is evidently not the Zenaida Dove, and therefore the name *meridionalis* cannot legitimately supplant Bonaparte's *zenaida*.—J. A. ALLEN, *Am. Mus. Nat. Hist.*, New York City.

The Bald Eagle in Ohio County, West Virginia.—It is with much pleasure that I send you the first authentic record of the taking of a specimen of the Bald Eagle (*Haliaeetus leucocephalus*), in Ohio County, West Virginia. The bird was an immature female, in the second year's plumage, which is known as the 'Gray Eagle' stage. It was killed December 27, 1901, on the farm of Mr. Ridgeley Jacob, near Clinton, W. Va., the manner of its capture being unique. Two young sons of Mr. J. S. Duvall, who lives upon the above mentioned farm, were playing in a stream, when one of the youngsters ascending the bank spied the great bird just beyond the crest of the knoll. The child—who was only about ten years of age—instead of running away, boldly picked up a stone and threw it with such telling force and accuracy that he broke the bird's wing. Immediately the raptore faced about and ran at the boy, who fled at its approach, while his brother—two years his junior—succeeded in hitting the pursuing bird in the back of the head and fracturing its skull with another stone. The older boy stopped, upon seeing the eagle staggering about, and ran back, pounced upon the feathered enemy and held it until life became extinct. The bird weighed nine and a quarter pounds, its length was thirty-nine inches, extent seven feet eight and a half inches. The skin is now in my possession.—ROBERT BAIRD McLAIN, *Wheeling, W. Va.*

Nest and Eggs of the Red-shouldered Hawk.—The nest shown in the photograph (Pl. IX, fig. 1) was in a beech tree about fifty feet from the ground. When about to climb the tree I thought of taking my kodak with me, expecting the bird might come into the tree while I was at the nest, as they sometimes do, and that I could perhaps get a picture of her. When I reached the nest I found that a limb large enough to hold me ran out from the body of the tree so that I could get about eight feet from the nest, which would, I thought, be far enough to get a picture. I made three exposures, all with the shutter set at $\frac{1}{100}$ second, two of which produced very good negatives, the one from which the picture I am sending was printed being perhaps a little the better. The nest was about two feet across and the eggs were slightly incubated, as I discovered when blowing them. The set of five eggs is the largest set of eggs of the Red-shouldered Hawk I have ever found in this locality. The picture was taken with a "No. 3 Pocket Kodak de Luxe," which is a very convenient instrument for this kind of work.—GEO. L. FORDYCE, *Youngstown, Ohio.*



FIG. 1. NEST AND EGGS OF RED-SHOULDERED HAWK.
See page 287.



FIG. 2. NEST AND EGGS OF RING-BILLED GULL.
See page 279.